

CLAIMS

What is claimed is:

- 1 1. A method comprising:
 - 2 receiving from a remote location trigger attribute data identifying at least one
 - 3 display attribute of an interactive icon;
 - 4 responsive to receiving the trigger attribute data, causing an interactive icon
 - 5 having the at least one attribute identified by the trigger attribute data to be
 - 6 displayed via a display device;
 - 7 receiving user input selecting the interactive icon; and
 - 8 responsive to receiving the user input, providing a television presentation
 - 9 enhancement.
- 1 2. The method of claim 1, wherein the interactive icon has at least one attribute not
- 2 identified by the trigger attribute data.
- 1 3. The method of claim 1, wherein the trigger attribute data corresponds to a trigger.
- 1 4. The method of claim 3, wherein the trigger complies with an ATVEF (Advanced
- 2 Television Enhancement Forum) standard.
- 1 5. The method of claim 1, wherein the remote location is a headend.
- 1 6. The method of claim 1, wherein the remote location is a content provider.
- 1 7. The method of claim 1, wherein the enhancement comprises an advertisement.
- 1 8. The method of claim 1, wherein the enhancement comprises information about a
- 2 television presentation that was displayed in conjunction with the interactive icon.

1 9. The method of claim 1, wherein the enhancement comprises data that is received from
2 a source identified by the trigger attribute data.

1 10. The method of claim 9, wherein the source is accessible via the Internet using a
2 uniform resource locator (URL) that is identified by the trigger attribute data.

1 11. The method of claim 9, wherein the source is one of an Internet server, a broadcast
2 file system, an object carousel, or a local storage device.

1 12. The method of claim 9, wherein the enhancement is downloaded using one of a hyper
2 text transfer protocol (http), hyper text transfer protocol secure (https), file transfer
3 protocol (ftp), trivial file transfer protocol (tftp), broadcast file system (bfs), digital
4 storage media command and control (DSM-CC) object carousel.

1 13. The method of claim 1, wherein the trigger attribute data identifies a display time
2 window during which the interactive icon is to be displayed.

1 14. The method of claim 13, wherein the interactive icon is displayed responsive to a
2 current time being within the display time window.

1 15. The method of claim 1, wherein the trigger attribute data identifies a display time
2 duration for displaying the interactive icon.

1 16. The method of claim 15, wherein the interactive icon is displayed for a time period
2 that is substantially equal to the display time duration.

1 17. The method of claim 15, wherein the interactive icon is displayed for a plurality of
2 time periods, each of the plurality of time periods being substantially equal to the display
3 time duration.

1 18. The method of claim 1, wherein the trigger attribute data identifies a sleep time
2 duration for suspending display of the interactive icon.

1 19. The method of claim 18, wherein display of the interactive icon is suspended for a
2 time period that is substantially equal to the sleep time duration.

1 20. The method of claim 18, wherein display of the interactive icon is suspended for a
2 plurality of time periods, each of the plurality of time periods being substantially equal to
3 the sleep-time duration.

1 21. The method of claim 1, wherein the trigger attribute data identifies a screen location
2 for displaying the interactive icon.

1 22. The method of claim 21, wherein the interactive icon is displayed at the screen
2 location identified by the trigger attribute data.

1 23. A first set-top terminal (STT) comprising:

2 logic configured to cause an interactive icon to be displayed via a display device,
3 the interactive icon having at least one display attribute identified by
4 trigger attribute data received from another apparatus; and
5 logic configured to cause a television presentation enhancement to be displayed
6 via the display device responsive to user input selecting the interactive
7 icon.

1
1 24. The STT of claim 23, further comprising memory for storing at least one default
2 value identifying a characteristic of the interactive icon.

1
1 25. The STT of claim 23, wherein the trigger attribute data identifies a display time
2 window during which the interactive icon is to be displayed.

1
1 26. The STT of claim 25, wherein the interactive icon is displayed responsive to a
2 current time being within the display time window.

1
1 27. The STT of claim 23, wherein the trigger attribute data identifies a display time
2 duration for displaying the interactive icon.

1
1 28. The STT of claim 27, wherein the interactive icon is displayed for a time period that
2 is substantially equal to the display time duration.

1
1 29. The STT of claim 27, wherein the interactive icon is displayed for a plurality of time
2 periods, each of the plurality of time periods being substantially equal to the display time
3 duration.

1
1 30. The STT of claim 23, wherein the trigger attribute data identifies a sleep time
2 duration for suspending display of the interactive icon.

1
1 31. The STT of claim 30, wherein display of the interactive icon is suspended for a time
2 period that is substantially equal to the sleep time duration.

1 32. The STT of claim 30, wherein display of the interactive icon is suspended for a
2 plurality of time periods, each of the plurality of time periods being substantially equal to
3 the sleep-time duration.

1 33. The STT of claim 23, wherein the trigger attribute data identifies a screen location for
2 displaying the interactive icon.

1 34. The STT of claim 33, wherein the interactive icon is displayed at the screen location
2 identified by the trigger attribute data.

1 35. The STT of claim 23, wherein the trigger attribute data corresponds to a trigger.

1 36. The STT of claim 35, wherein the trigger complies with an ATVEF (Advanced
2 Television Enhancement Forum) standard.

1 37. The STT of claim 23, wherein the other apparatus is a server located at a headend.

1 38. The STT of claim 23, wherein the other apparatus is a server operated by a content
2 provider.

1 39. The STT of claim 23, wherein the other apparatus is another STT.

1 40. The STT of claim 23, wherein the enhancement comprises an advertisement.

1 41. The STT of claim 23, wherein the enhancement comprises information about a
2 television presentation that was displayed in conjunction with the interactive icon.

1 42. The STT of claim 23, wherein the enhancement comprises data that is received from
2 a source identified by the trigger attribute data.

1 43. The STT of claim 42, wherein the source is accessible via the Internet using a
2 uniform resource locator (URL) that is identified by the trigger attribute data.

1 44. The STT of claim 42, wherein the source is one of an Internet server, a broadcast file
2 system, an object carousel, or a local storage device.

1
1 45. The STT of claim 42, wherein the enhancement is downloaded using one of a
2 hyper text transfer protocol (http), hyper text transfer protocol secure (https), file transfer
3 protocol (ftp), trivial file transfer protocol (tftp), broadcast file system (bfs), digital
4 storage media command and control (DSM-CC) object carousel.

46. A method comprising:

receiving from a remote location trigger attribute data identifying at least one display attribute of an interactive icon;
responsive to receiving the trigger attribute data, causing an interactive icon having the at least one attribute identified by the trigger attribute data to be displayed via a display device;
receiving user input selecting the interactive icon; and
responsive to receiving the user input, providing a television presentation enhancement;
wherein the trigger attribute data corresponds to a trigger;
wherein the trigger complies with an ATVEF (Advanced Television Enhancement Forum) standard;
wherein the remote location is a headend, the display device is a television, and the user input is provided by a remote control device;
wherein the enhancement comprises data that is received from a source identified by the trigger attribute data;
wherein the source is accessible via the Internet using a uniform resource locator (URL) that is identified by the trigger attribute data;
wherein the source is one of an Internet server, a broadcast file system, an object carousel, or a local storage device;
wherein the enhancement is downloaded using one of a hyper text transfer protocol (http), a broadcast file system (bfs) protocol, a digital storage media command and control (DSM-CC) protocol, or a file transfer protocol (ftp);
wherein the trigger attribute data identifies a display time window during which the interactive icon is to be displayed;
wherein the interactive icon is displayed responsive to a current time being within the display time window;
wherein the trigger attribute data identifies a display time duration for displaying the interactive icon;
wherein the interactive icon is displayed for a time period that is substantially equal to the display time duration;
wherein the trigger attribute data identifies a sleep time duration for suspending display of the interactive icon;

35 wherein display of the interactive icon is suspended for a time period that is
36 substantially equal to the sleep time duration;
37 wherein the trigger attribute data identifies a screen location for displaying the
38 interactive icon;
39 wherein the interactive icon is displayed at the screen location identified by the
40 trigger attribute data

1